

# INVINO-5045

## Technical Data Sheet



## INVINO Defoamer

### GENERAL INFORMATION

The defoamer INVINO-5045 is a water emulsion based on fatty alcohol.

### TECHENICAL DATA SHEET

<b>Appearance</b>	Viscous White (Milk-like)
<b>Relative Density (g/cm<sup>3</sup>, 25 °C)</b>	0.96
<b>Viscosity, dynamic</b>	250mPa.s 20 °C
<b>Solubility</b>	In water, the material disperses.

### APPLICATIONS

The INVINO-5045 is antifoaming agent recommended to treat aqueous foam problems. It can be used in various processes such as:

- Pulp and Paper Industry. (suitable for 45-55 °C in white water.

### SAFE HANDING ADVICE

- INVINO-5045 is added continuous in the white-water tray, white pool or white-water tank. The recommended dosage is 150g-300g/tons of paper.
- *INVINO-5045 can be used in dilution version with water directly. If it dilution version is needed before using, please dilute it according to the provided method from INVINO-CHEM.*

### HANDING AND STORAGE

- Before use, it is recommended to read the safety data sheet.
- Protect from freeze.
- After a long storage time a little phase displacement could appear. Original properties

Our technical suggestions are based on data from many experiments and cannot represent a warranty of any kind as to their performance in other formulations. Customers must always verify our product's performance in their own systems. This technical data sheet replaces all previous issues.

**Nanjing INVINOchem Co., Ltd**

Head Office Address  
2<sup>nd</sup> Floor of 3<sup>rd</sup> Building, No.18 Jialingjiang East  
Street, Jianye District, Nanjing, China.  
Tel: +86 25 58717026  
Fax: +86 25 58717026

Factory Address  
No. 55. XINHAI Avenue, XUYI  
District, HUAJIAN, China.  
Tel: +86 25 58717026  
Fax: +86 25 58717026

could be recovered by simple mixing.

### SHELF LIFE

- INVINO-5045 has a shelf life of 12 months from date of manufacture.

### PACKAGING

- Net Weight: 50kg/Drum, 200Kgs/Plastic Drum, 1000L IBC

### QAALITY ASSURANCE

We guarantee that all operations are conducted according to the stipulated standards. If you have any questions when you use, please don't hesitate to contact us!